

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	508	ARP cach\$ @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/15 13:08
L2	359	ARP cach\$ router @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/15 14:35
L3	1	"5309437".pn.	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/15 13:44
L5	156	"ARP cache" @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/15 14:20
L6	699	storing ARP (host or client) @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/15 14:36
L7	684	storing ARP table (host or client) @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 14:37
L8	284	storing ARP table (host or client) @ad<"20010427" and "709"/\$\$\$. ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 14:58
L9	7	client near "ARP table" @ad<"20010427" and "709"/\$\$\$. ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:00
L10	105	(ARP near cache) @ad<"20010427" and "709"/\$\$\$.ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:45
L11	3	(insert near "MAC address") @ad<"20010427" "709"/\$\$\$.ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:51
L12	28	(insert same "MAC address") @ad<"20010427" "709"/\$\$\$.ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:54
L13	3	("insert MAC" same (client or host)) @ad<"20010427" "709"/\$\$\$.ccls.	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:55
L17	0	(insert near MAC) (ARP near Table) @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:56
L19	88	(local same arp same table) MAC @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	ON	2004/11/15 15:57
S1	3	router and "insert MAC" and @ad<"20010427"	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:22

S2	3	router "insert MAC" @ad<"20010427"	US-PGPUB; USPAT; EPO	AND	OFF	2004/11/10 13:22
----	---	---------------------------------------	----------------------------	-----	-----	------------------